

POWER ACCESS MODEL 4300 OPENER

MODEL DESCRIPTION

AUTOMATIC DOOR OPENER – JAMB MOUNT

4300R	JAMB MOUNT – RIGHT HAND – BEIGE – 115-1-60
4300L	JAMB MOUNT – LEFT HAND – BEIGE – 115-1-60
4310R	JAMB MOUNT – RIGHT HAND – BRONZE – 115-1-60
4310L	JAMB MOUNT – LEFT HAND – BRONZE – 115-1-60
4300VR	INVERTED – JAMB MOUNT – RIGHT HAND – BEIGE – 115-1-60
4300VL	INVERTED – JAMB MOUNT – LEFT HAND – BEIGE – 115-1-60
4310VR	INVERTED – JAMB MOUNT – RIGHT HAND – BRONZE – 115-1-60
4310VL	INVERTED – JAMB MOUNT – LEFT HAND – BRONZE – 115-1-60
4300XR	JAMB MOUNT – DEEP REVEAL – RIGHT HAND – BEIGE – 115-1-60
4300XL	JAMB MOUNT – DEEP REVEAL – LEFT HAND – BEIGE – 115-1-60
4310XR	JAMB MOUNT – DEEP REVEAL – RIGHT HAND – BRONZE – 115-1-60
4310XL	JAMB MOUNT – DEEP REVEAL – LEFT HAND – BRONZE – 115-1-60

AUTOMATIC DOOR OPENER – DOOR MOUNT

4300DR	DOOR MOUNT* – RIGHT HAND – BEIGE – 115-1-60
4300D	DOOR MOUNT* – LEFT HAND – BEIGE – 115-1-60
4300DXR	DOOR MOUNT* – EXTENDED 5" ARM – RIGHT HAND – BEIGE – 115-1-60
4300DXL	DOOR MOUNT* – EXTENDED 5" ARM – LEFT HAND – BEIGE – 115-1-60

* INCLUDES P/N 4590 DOOR MOUNT BRACKET

ABOVE DOOR MOUNT MODELS ALSO AVAILABLE IN BRONZE

AUTOMATIC DOOR OPENER – LOW TEMPERATURE

4300LTR	JAMB MOUNT – LOW TEMP - RIGHT HAND – BEIGE – 115-1-60
4300LTL	JAMB MOUNT – LOW TEMP - LEFT HAND – BEIGE – 115-1-60
4310LTR	JAMB MOUNT – LOW TEMP - RIGHT HAND – BRONZE – 115-1-60
4310LTL	JAMB MOUNT – LOW TEMP - LEFT HAND – BRONZE – 115-1-60
4300LTDR	DOOR MOUNT* – LOW TEMP - RIGHT HAND – BEIGE – 115-1-60
4300LTD	DOOR MOUNT* – LOW TEMP - LEFT HAND – BEIGE – 115-1-60
4310LTDR	DOOR MOUNT* – EXTENDED 5" ARM – RIGHT HAND – BEIGE – 115-1-60
4310LTDL	DOOR MOUNT* – EXTENDED 5" ARM – LEFT HAND – BEIGE – 115-1-60

*INCLUDES P/N 4590 DOOR MOUNT BRACKET

INCLUDED WITH ABOVE OPENERS:

Adjustable time hold open	On/Off Switch
Stainless steel scuff plate	9' Power cord with 3 prong plug
Slide mounting bracket (only with jamb mount)	Blank latch strike-plate (SS)
Miscellaneous installation hardware	Installation instructions
Two 6"1/2" installation safety decals	

BARRIER-FREE ACCESS SYSTEMS, INC.
19 HORSESHOE DRIVE
NORTHPORT, NY 11786
PHONE: (631) 757-4975
FAX: (631) 757-4976
Email: bfasinc@aol.com

OPERATING CONTROLS

MODEL DESCRIPTION
(S = SURFACE MOUNT, F = FLUSH MOUNT, * = WITH HANDICAP LOGO)
(CONTROLS MAY BE ORDERED WITHOUT LOGO)

TOUCH CONTROLS

4444S *TOUCH CONTROL
4444F *TOUCH CONTROL
*4444 TOUCH CONTROL IS USED ONLY WITH 4300 OPENERCONTROL
COMES WITH A 12" C CONDUCTOR AWG WIRE*

4400S *TOUCH SWITCH
*4400 TOUCH SWITCH IS A GENERAL PURPOSE CONTROL (FOR OTHER THAN
THE POWER ACCESS OPENER). THE CONTROL REQUIRES 24 VAC INPUT.
RELAY HAS DRY CONTACT RATED AT 5 AMPS FOR EITHER N.O. OR N.C.*

4436S *PUSH PLATE WALL SWITCH – WIRED
4436F *PUSH PLATE WALL SWITCH – WIRED

4436SB *BLUE DOT PUSH BUTTON WALL SWITCH – WALL PLATE – WIRED
4436FB *BLUE DOT PUSH BUTTON WALL SWITCH – WALL PLATE – WIRED

4436SK KEY SWITCH WALL CONTROL – (2 KEYS) – WIRED
4436FK KEY SWITCH WALL CONTROL – (2 KEYS) – WIRED

4436S WALL SWITCH IS A MOMENTARY SWITCH – COMES WITH 12' OF 22 AWG WIRE

4436S KEYPAD KEYLESS ENTRY WALL CONTROL 4 DIGIT PROGRAMMABLE – WIRED

4439 6" X 23" PRESSURE SWITCH MATE – WIRED

4488SW *WIRED WALL CONTROL – 5" X 5" PUSH PLATE / LOGO ON 2 GANG BOX – HEAVY DUTY
4488FW *WIRED WALL CONTROL – 5" X 5" PUSH PLATE / LOGO ON 2 GANG BOX – HEAVY DUTY

RADIO CONTROLS – FREQUENCY 300Mhz – WIRELESS CONTROLS

4437S KEYPAD KEYLESS ENTRY WALL CONTROL 4 DIGIT PROGRAMMABLE WIRELESS / BATTERY

4440T TRANSMITTER – SINGLE BUTTON HAND TYPE
4440TK TRANSMITTER – PENDENT TYPE (NO CHAIN)
4440HPT TRANSMITTER – HI-PROFILE SINGLE BUTTON
4440TW TRANSMITTER – TWO WIRE LEADS
4440JT TRANSMITTER – 1/8" FEMALE JACK CONNECTION
4440JT4P TRANSMITTER – 4 PIN (12' WIRE) FOR PEACHTREE SYSTEM
4440D TRANSMITTER – DUAL BUTTON
4440DD TRANSMITTER – FOUR BUTTON

4466S *WIRELESS WALL CONTROL – PUSH PLATE
4466F *WIRELESS WALL CONTROL – PUSH PLATE
4466SB *WIRELESS WALL CONTROL – BLUE DOT PUSH BUTTON WITH SEPARATE WALL PLATE
4466FB *WIRELESS WALL CONTROL – BLUE DOT PUSH BUTTON WITH SEPARATE WALL PLATE

4466SK WIRELESS WALL CONTROL – MOMENTARY KEY SWITCH (2 KEYS)
4466FK WIRELESS WALL CONTROL – MOMENTARY KEY SWITCH (2 KEYS)

4455P PUFF WIRELESS CONTROL – WITH 24" CLEAR PLASTIC TUBING
4455S SIP WIRELESS CONTROL – WITH 24" CLEAR PLASTIC TUBING

BARRIER-FREE ACCESS SYSTEMS, INC.
19 HORSESHOE DRIVE
NORTHPORT, NY 11786
PHONE: (631) 757-4975
FAX: (631) 757-4976
Email: bfasinc@aol.com

OPERATING CONTROLS

MODEL

DESCRIPTION

ACCESSORIES – RELAYS FOR SPECIAL APPLICATIONS

6284C	110 VAC DPDT RELAY (SEIMANS SRPA11AG120/ S7E891 SOCKET) WITH 6346 ENCLOSURE
6282C	24 VAC DPDT RELAY (SEIMANS SRPA11AG24/ S7E891 SOCKET) WITH 6346 ENCLOSURE
6291C	24 VDC DPDT RELAY (SEIMANS SRPA11DG24/ S7E891 SOCKET) WITH 6346 ENCLOSURE
6241C	12 VDC DPDT RELAY (SQ D KPD12V51 / NR51 SOCKET) WITH 6346 ENCLOSURE
6243C	TIME DELAY RELAY (24 VAC / VDC) (0.3 – 30 SEC.) (SQ D JCK-22V14 / NR61 SOCKET) WITH 6345 ENCLOSURE
6346	WIREMOLD ENCLOSURE (2344) WITH IVORY PLATE COVER

REMOTE STRIKE RELEASE KIT –NO UNIT

4515C	REMOTE WIRELESS 4440T TRANSMITTER / 4480 RECEIVER / 4548 24VAC STRIKE / 4582 PLUG-IN TRANSFORMER (1003)
-------	---

KIT FOR INTERFACING 4300 UNIT WITH EXISTING ELECTRIC STRIKE

4516C	24 VDC DPDT RELAY = SRPA11DG24 / S7E891 SCOKET & 6346 ENCLOSURE & 4546T TRANSFORMER
4517C	24 VAC DPDT RELAY = SRPA11AG24 / S7E891 SCOKET & 6346 ENCLOSURE & 4546T TRANSFORMER

BATTERY BACK UP FOR PAC MODEL 4300

44401BB	BATTERY BACK UP FOR EMERGENCY EGRESS – UPS MODEL BK500M
---------	---

DOOR CLOSERS - LCN

4540	DOOR CLOSER – MODEL P4041 / THRU BOLTS – ARCHITECTURAL – HEAVY DUTY
4545	DOOR CLOSER – MODEL P1460 / THRU BOLTS – ARCHITECTURAL - STANDARD DUTY
4550	DOOR CLOSER – SERIES P1071 / THRU BOLTS – COMMERCIAL / RESIDENTIAL – INTERIOR
4541	DROP PLATE – MODEL LCN 4040-18
4580–24VACP	TRANSFORMER (PLUG IN) – (TF524) 115 / 24 VAC – 0.5 A WITH 6 FOOT LEAD FOR 4480 REC.
4582-24VACP	TRAN SFORMER (PLUG IN) – (1003) 115 / 24 VAD – 20 VA (1.0 AMP) WITH SCREW TERMINALS
4583-24VACP	TRAN SFORMER (PLUG IN) – (1001) 115 / 24 VAD – 20 VA (1.5 AMP) WITH SCREW TERMINALS
4590	PAC MODEL 4300 DOOR MOUNT BRACKET
4531R	SHALLOW REVEAL MOUNTING BRACKET – RIGHT HAND
4531L	SHALLOW REVEAL MOUNTING BRACKET –LEFT HAND
4532R	SPECIAL 6” JAMB EXTENSION BRACKET – RIGHT HAND
4532L	SPECIAL 6” JAMB EXTENSION BRACKET – LEFT HAND
4491	VESTIBULE DOOR SEQUENCER (MS65) – TWO DIRECTIONAL TRAFFIC (CONTROLS EXTRA)
4581	20 FOOT POWER CORD BLACK WITH 3 PRONG PLUG – INSTALLED IF ORDERED WITH UNIT
5880	DECAL – TWO SIDED – 6 ½” FOR GLASS DOORS – “CAUTION AUTOMATIC DOOR”
5881	DECAL – TWO SIDED – 6 ½” FOR GLASS DOORS – “DIRECTIONAL ARROW”
5882	DECAL – TWO SIDED – 6 ½” FOR GLASS DOORS – “HANDICAP LOGO”

BARRIER-FREE ACCESS SYSTEMS, INC.
19 HORSESHOE DRIVE
NORTHPORT, NY 11786
PHONE: (631) 757-4975
FAX: (631) 757-4976
Email: bfasinc@aol.com